

Vitamaze GmbH

Weberstraße 6
69120 Heidelberg



Deutsche
Akkreditierungsstelle
D-PL-14170-01-00

Our sign: HeMu
Date: 28.07.2026

Confirmation of analysis

Product: Magnesium Bisglycinat+Vitamin B6
Lot 260704552

Product group: food supplement

Begin/end of analysis: 22.07.2026 / 28.07.2026

The parameters listed below were analysed in the named sample.

This certificate refers to the certificate of analysis: 26036523-001

Lead	Total Plate Count
Cadmium	Yeasts
Mercury	Moulds
Arsenic	Enterobacteriaceae
	Coliforms
	E. coli
	Salmonella

Results of microbiological analysis are unobjectionable regarding the tests carried out.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

Arsenic was not detectable within the sensitivity of the method.

This confirmation was generated automatically and is valid without signature.

The confirmation of analysis may be published in an unchanged, unabridged version and refers exclusively to the test report mentioned. This confirmation of analysis does not replace the test report. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions. Any liability arising from the unauthorized use and in particular publication of this confirmation is excluded.